

August 16, 2013

Press Release

Contact information:

Stephen G. Newman Ph.D.

President and CEO

AquaInTech Inc. Lynnwood, WA 98037 USA

Tel: 425-787-5218

e-mail: sgnewm@aqua-in-tech.com

URLs: www.bioremediationaquaculture.com www.sustainablegreenaquaculture.com

The trials in India were conducted by:

Royal Bio-marine

Tamil Nadu, India

Email: habeeb@scientist.com

Contact person: Habeeb Rahaman

Feel free to contact him with any questions you might have.

What:

PRO4000X tablets contain two strains of Bacillus that have been selected for their innate gene expression resulting in the production of a wide range of enzymes that facilitate their ability to degrade organic material and break ammonia down in aquatic ecosystems. Each tablet contains more than 64 billion CFU. Unlike conventional products, no activation is required. The tablets are added to ponds or hatchery tanks where they settle to the bottom, slowly dissolve and the bacteria proliferate. They are in direct contact with the pond sediments and large numbers of bacteria are delivered into a relatively small area. Targeted delivery to problem areas in ponds and canals ensures a more efficient and less costly approach towards managing accumulated metabolites in production systems. Hatchery trials have shown that the bacteria in our product out compete vibrios and reduce the overall vibrio load in the environment.

A recent trial in India demonstrated that the use of our PRO4000X tablets allowed a farmer to change the production paradigm and allowed the test farm to close their ponds and increase their yields.

16825 48th Ave W, Suite 454 Lynnwood, WA 98037 Tel: 425-787-5218


e-mail: sgnewm@aqua-in-tech.com and sgnewm@hotmail.com Skype: shrimpdoc

Urls: www.aqua-in-tech.com, www.bioremediationaquaculture.com,
www.shrimpaquaculture.com, www.sustainablegreenaquaculture.com

How:

Tablets were applied as in Chart 1. Starting with 8 tablets added to problem areas 14 days post stocking and ending with 75 tablets at day 112 post stocking for a total of 497 tablets per pond per ha per cycle. This is about 8 kgs of tablets total per pond. Tablets were added roughly every 10 days.

Chart 1. Tablet application rates per ha per cycle



Results:

Shrimp growth and ammonia levels in the ponds were monitored throughout the production cycle. Table 1 details the pond statistics.

Table 1 Pond statistics for PRO4000X trials.

| Pond # | Animals per sq m | Area (ha) | Depth (m) | Water Exchange (%) | Cycle (days) | weight grams | MT harvest | % surv | FCRs |
|---------|------------------|-----------|-----------|--------------------|--------------|--------------|------------|--------|------|
| 1 | 35 | 1 | 1.5 | 0 | 115 | 24.5 | >7.7 | >90 | 1.1 |
| 2 | 35 | 1 | 1.5 | 0 | 115 | 23.3 | >7.3 | >90 | 1.1 |
| 3 | 28 | 0.9 | 1.4 | 0 | 115 | 25.9 | >6.5 | >90 | 1.2 |
| Control | 35 | 1 | 1.5 | 10 to 15 | 122 | 15.1 | 5.3 | 82 | 1.7 |

All four ponds were on the same farm with a common water source, a nearby brackish water creek. All of the shrimp were from the same hatchery and all of the ponds were stocked at the same time.

Chart 2. Growth performance (average body weight versus days of culture)




Chart 2 clearly shows that the shrimp in the ponds that were treated with the PRO4000X tablets grew quicker and reached a much higher overall final weight. The yields and final size at harvest are in Table 1 above.

Chart 3. Weekly ammonia levels in control and experimental ponds




Chart 3 shows the ammonia levels in the ponds throughout the cycle. The control pond experienced high ammonia rates while the experimental ponds did not. The farmer had to exchange water in the control pond.

Conclusions:

It is clear that the ponds that were treated with the tablets fared much better than the control pond.

- No water exchange was required in the PRO4000X treated ponds (three total)
- Shrimp grew quicker in the PRO4000X treated ponds
- Shrimp consumed less feed in the PRO4000X treated ponds
- There was much less accumulated ammonia in the PRO4000X ponds
- There were higher survivals in PRO4000X treated ponds
- There were higher yields in PRO4000X ponds
- Shrimp were larger in PRO4000X ponds

This set of field trials demonstrated that the bacteria in our tablets were able to create environments in the ponds that allowed the shrimp to flourish. Use of the product paid for itself many times over. Your actual experience with our products may vary. Each pond has its own ecology and this can impact how added bacteria grow. We work with individual clients to optimize the use of our products for their particular ponds.